


Series ATP Single Drive Order Guide



Build Part Number

A	T	P	3	5	6	7	-	9	10	11	12	13	14
-	16	17	18	19	20	21							



A complete Series ATP part number is 14 or 21 digits depending on selected options. For example, ATP11DS-A308RH or ATP12CS-A306RQ-A304RF. Note that some codes are multiple digits.

DIGIT	CODE	SERIES DRIVE TYPE
1-2	AT	ADJUSTABLE TRAVEL

DIGIT	CODE	MOUNT
7	S	FLOOR STAND

DIGIT	CODE	HEAD TECHNOLOGY
3	P	PLUNGER

PUMP HEAD 1 CONFIGURATION

DIGIT	CODE	HEAD STYLE
9	A	STYLE A

DIGIT	CODE	DRIVE STYLE
4	1	STYLE 1 - *DISCONTINUED*
	3	STYLE 3 - EXTERNAL STROKE LENGTH ADJ.

DIGIT	CODE	HEAD / CHECK BODY MATERIAL
10	3	S316

DIGIT	CODE	NUMBER OF HEADS
5	1	1 HEAD
	2	2 HEADS

DIGIT	CODE	PLUNGER DIAMETER
11-12	04	1/4"
	06	3/8"
	08	1/2"

DIGIT	CODE	MOTOR
6	C	12VDC, VARIABLE SPEED 6-67 RPM, Ta 40°C, 0.20HP, 150 LB-IN, C1D2, 30FT #12/2C, QUICK CONNECTS*, FOR MANUAL HAND CONTROL
	D	12VDC, VARIABLE SPEED 6-67 RPM, Ta 40°C, 0.20HP, 150 LB-IN, C1D2, 10FT #14/7C, FLYING LEADS FOR AUTOMATED CONTROL
	G	460VAC/3PH/60HZ, SINGLE SPEED, 53 RPM, Ta 40°C, 1/4HP, IP66
	J	115VAC/1PH/60HZ, SINGLE SPEED, 60 RPM, Ta 40°C, 0.14HP, 150 LB-IN, C1D2, NO CABLE INCLUDED FOR MANUAL HAND CONTROL
	K	115VAC/1PH/60HZ, SINGLE SPEED, 60 RPM, Ta 40°C, 0.14HP, 150 LB-IN, C1D2, 30FT #14/3C NEMA PLUG* FOR MANUAL HAND CONTROL
	L	Gear Drive IEC 71 B5 13.18:1 ATEX CA. 3G Zone2
	M	Gear Drive NEMA 56C 13.18:1
	N	Gear Drive IEC 71 B5 28.88:1 ATEX CA. 3G Zone2
	P	Gear Drive NEMA 56C 28.88:1

DIGIT	CODE	PLUNGER MATERIAL
13	Y	CERAMIC

DIGIT	CODE	WETTED SEAL MATERIAL
14	F	FFKM
	H	HNBR
	E	EPDM
	Q	FKM

If pump configuration is single head, stop part number here.

PUMP HEAD 2 CONFIGURATION

Only continue if pump configuration is dual head.

DIGIT	CODE	HEAD STYLE
16	A	STYLE A

DIGIT	CODE	HEAD / CHECK BODY MATERIAL
17	3	S316

DIGIT	CODE	PLUNGER DIAMETER
18-19	04	1/4"
	06	3/8"
	08	1/2"

DIGIT	CODE	PLUNGER MATERIAL
20	Y	CERAMIC

DIGIT	CODE	WETTED SEAL MATERIAL
21	F	FFKM
	H	HNBR
	E	EPDM
	Q	FKM

* Quick connect or plug end is unclassified and must be installed in a safe zone.

CONFIDENTIAL This document contains privileged information only intended for CheckPoint staff and representatives. By accepting this document you agree to the terms contained within CheckPoint's Non-Disclosure Agreement. Any unauthorized use, including but not limited to disclosing or distributing of this document, in part or whole, is strictly forbidden. CheckPoint reserves all rights and may amend, cancel or revise

Series ATP Multi Drive **Order Guide**



Build Part Number & Price

A	T	P	3	⁵	⁶	S	-	⁹	-	¹¹	-	¹³	-	¹⁵
-	¹⁷	-	¹⁹	-	²¹	-	²³							

A complete Series ATP part number is between 9 and 23 digits depending on selected options. For example, ATP32BS-A or ATP38BS-A-A-A-A-A-A-A-A. Note that some codes are multiple digits. Sum the price of each selected option to develop the total unit price. Prices are in \$USD

DIGIT	CODE	SERIES DRIVE TYPE
1-2	AT	ADJUSTABLE TRAVEL

DIGIT	CODE	HEAD TECHNOLOGY
3	P	PLUNGER

DIGIT	CODE	DRIVE STYLE	PRICE
4	3	STYLE 3	

DIGIT	CODE	NUMBER OF HEADS
5	1	1 HEAD
	2	2 HEADS
	3	3 HEADS
	4	4 HEADS
	5	5 HEADS
	6	6 HEADS
	7	7 HEADS
	8	8 HEADS

DIGIT	CODE	GEAR REDUCER
6	A	NEMA 145TC 13.18:2
	B	NEMA 145TC 27.55:1
	P	IEC 71B5 13.18:1 ATEX Cat.3G Zone 2
	Q	IEC 71B5 27.55:1 ATEX Cat.3G Zone 2
	R	IEC 80B5 13.18:1 ATEX Cat.3G Zone 2
	S	IEC 80B5 27.55:1 ATEX Cat.3G Zone 2
	T	IEC 90B5 13.18:1 ATEX Cat.3G Zone 2
	X	IEC 90B5 27.55:1 ATEX Cat.3G Zone 2
	Y	NO GEARBOX, INCLUDES SHAFT*

DIGIT	CODE	MOUNT
7	S	FLOOR STAND

DIGIT	CODE	HEAD CONDGRURATION
9-23	A	1/4 " CERAMIC PLGR FFKM
	B	1/4 " CERAMIC PLGR HNBR
	C	1/4 " CERAMIC PLGR FKM
	D	3/8 " CERAMIC PLGR FFKM
	E	3/8 " CERAMIC PLGR HNBR
	F	3/8 " CERAMIC PLGR FKM
	G	1/2 " CERAMIC PLGR FFKM
	H	1/2 " CERAMIC PLGR HNBR
	I	1/2 " CERAMIC PLGR FKM

Add a Head Configuration part number equal to the number of heads on the pump.

Series ATP Parts Order Guide



PART #	DESCRIPTION
KIT MISCELLANEOUS	
AT1CAR	CARRIAGE ASSEMBLY
AT1ADJ	ADJUSTMENT RETAINER ASSEMBLY, INCLUDES RETAINER BLOCK, 2 MOUNT BOLTS, 1 TENSION BOLT
ATP1KBA-A3	KIT BLEED ASSY - BLEED SCREW, SPRING, BALL
ATP1KLA-A3	KIT LEG ASSY - 1 x LEG, 2 X BOLTS, 2 X NUTS
ATPMIT-01	MOTOR INSTALLATION TOOL
KIT HEAD CONVERSION: ATP1KHC-A3#### (PUMP ORDER GUIDE DIGIT 9-14)	
ATP1KHC-A3047A	KIT HEAD CONVERSION, 1/4" 316SS HEAD, 1/4" 17-4 PLUNGER, VITON SEALS
ATP1KHC-A3047F	KIT HEAD CONVERSION, 1/4" 316SS HEAD, 1/4" 17-4 PLUNGER, FFKM SEALS
ATP1KHC-A3047H	KIT HEAD CONVERSION, 1/4" 316SS HEAD, 1/4" 17-4 PLUNGER, HNBR SEALS
ATP1KHC-A3047Q	KIT HEAD CONVERSION, 1/4" 316SS HEAD, 1/4" 17-4 PLUNGER, FKM SEALS
ATP1KHC-A3067A	KIT HEAD CONVERSION, 3/8" 316SS HEAD, 3/8" 17-4 PLUNGER, VITON SEALS
ATP1KHC-A3067F	KIT HEAD CONVERSION, 3/8" 316SS HEAD, 3/8" 17-4 PLUNGER, FFKM SEALS
ATP1KHC-A3067H	KIT HEAD CONVERSION, 3/8" 316SS HEAD, 3/8" 17-4 PLUNGER, HNBR SEALS
ATP1KHC-A3067Q	KIT HEAD CONVERSION, 3/8" 316SS HEAD, 3/8" 17-4 PLUNGER, FKM SEALS
ATP1KHC-A3087A	KIT HEAD CONVERSION, 1/2" 316SS HEAD, 1/2" 17-4 PLUNGER, VITON SEALS
ATP1KHC-A3087F	KIT HEAD CONVERSION, 1/2" 316SS HEAD, 1/2" 17-4 PLUNGER, FFKM SEALS
ATP1KHC-A3087H	KIT HEAD CONVERSION, 1/2" 316SS HEAD, 1/2" 17-4 PLUNGER, HNBR SEALS
ATP1KHC-A3087Q	KIT HEAD CONVERSION, 1/2" 316SS HEAD, 1/2" 17-4 PLUNGER, FKM SEALS
ATP1KHC-A304YA	KIT HEAD CONVERSION, 1/4" 316SS HEAD, 1/4" CERAMIC PLUNGER, VITON SEALS
ATP1KHC-A304YF	KIT HEAD CONVERSION, 1/4" 316SS HEAD, 1/4" CERAMIC PLUNGER, FFKM SEALS
ATP1KHC-A304YH	KIT HEAD CONVERSION, 1/4" 316SS HEAD, 1/4" CERAMIC PLUNGER, HNBR SEALS
ATP1KHC-A304YQ	KIT HEAD CONVERSION, 1/4" 316SS HEAD, 1/4" CERAMIC PLUNGER, FKM SEALS
ATP1KHC-A306YA	KIT HEAD CONVERSION, 3/8" 316SS HEAD, 3/8" CERAMIC PLUNGER, VITON SEALS
ATP1KHC-A306YF	KIT HEAD CONVERSION, 3/8" 316SS HEAD, 3/8" CERAMIC PLUNGER, FFKM SEALS
ATP1KHC-A306YH	KIT HEAD CONVERSION, 3/8" 316SS HEAD, 3/8" CERAMIC PLUNGER, HNBR SEALS
ATP1KHC-A306YQ	KIT HEAD CONVERSION, 3/8" 316SS HEAD, 3/8" CERAMIC PLUNGER, FKM SEALS
ATP1KHC-A308YA	KIT HEAD CONVERSION, 1/2" 316SS HEAD, 1/2" CERAMIC PLUNGER, VITON SEALS
ATP1KHC-A308YF	KIT HEAD CONVERSION, 1/2" 316SS HEAD, 1/2" CERAMIC PLUNGER, FFKM SEALS
ATP1KHC-A308YH	KIT HEAD CONVERSION, 1/2" 316SS HEAD, 1/2" CERMAIC PLUNGER, HNBR SEALS
ATP1KHC-A308YQ	KIT HEAD CONVERSION, 1/2" 316SS HEAD, 1/2" CERAMIC PLUNGER, FKM SEALS
KIT ADD SECOND HEAD: ATP1KSH-A3#### (PUMP ORDER GUIDE DIGIT 9-14)	
ATP1KSH-A3047A	KIT ADD SECOND HEAD, 1/4" 316SS HEAD, 1/4" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, VITON SEALS, ADJ RETAINER ASSY
ATP1KSH-A3047F	KIT ADD SECOND HEAD, 1/4" 316SS HEAD, 1/4" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, FFKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A3047H	KIT ADD SECOND HEAD, 1/4" 316SS HEAD, 1/4" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, HNBR SEALS, ADJ RETAINER ASSY
ATP1KSH-A3047Q	KIT ADD SECOND HEAD, 1/4" 316SS HEAD, 1/4" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, FKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A3067A	KIT ADD SECOND HEAD, 3/8" 316SS HEAD, 3/8" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, VITON SEALS, ADJ RETAINER ASSY
ATP1KSH-A3067F	KIT ADD SECOND HEAD, 3/8" 316SS HEAD, 3/8" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, FFKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A3067H	KIT ADD SECOND HEAD, 3/8" 316SS HEAD, 3/8" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, HNBR SEALS, ADJ RETAINER ASSY
ATP1KSH-A3067Q	KIT ADD SECOND HEAD, 3/8" 316SS HEAD, 3/8" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, FKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A3087A	KIT ADD SECOND HEAD, 1/2" 316SS HEAD, 1/2" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, VITON SEALS, ADJ RETAINER ASSY



PART #	DESCRIPTION
ATP1KSH-A3087F	KIT ADD SECOND HEAD, 1/2" 316SS HEAD, 1/2" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, FFKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A3087H	KIT ADD SECOND HEAD, 1/2" 316SS HEAD, 1/2" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, HNBR SEALS, ADJ RETAINER ASSY
ATP1KSH-A3087Q	KIT ADD SECOND HEAD, 1/2" 316SS HEAD, 1/2" 17-4 PLUNGER, 2 X 316SS CHECK VALVES, FKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A304YA	KIT ADD SECOND HEAD, 1/4" 316SS HEAD, 1/4" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, VITON SEALS, ADJ RETAINER ASSY
ATP1KSH-A304YF	KIT ADD SECOND HEAD, 1/4" 316SS HEAD, 1/4" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, FFKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A304YH	KIT ADD SECOND HEAD, 1/4" 316SS HEAD, 1/4" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, HNBR SEALS, ADJ RETAINER ASSY
ATP1KSH-A304YQ	KIT ADD SECOND HEAD, 1/4" 316SS HEAD, 1/4" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, FKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A306YA	KIT ADD SECOND HEAD, 3/8" 316SS HEAD, 3/8" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, VITON SEALS, ADJ RETAINER ASSY
ATP1KSH-A306YF	KIT ADD SECOND HEAD, 3/8" 316SS HEAD, 3/8" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, FFKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A306YH	KIT ADD SECOND HEAD, 3/8" 316SS HEAD, 3/8" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, HNBR SEALS, ADJ RETAINER ASSY
ATP1KSH-A306YQ	KIT ADD SECOND HEAD, 3/8" 316SS HEAD, 3/8" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, FKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A308YA	KIT ADD SECOND HEAD, 1/2" 316SS HEAD, 1/2" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, VITON SEALS, ADJ RETAINER ASSY
ATP1KSH-A308YF	KIT ADD SECOND HEAD, 1/2" 316SS HEAD, 1/2" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, FFKM SEALS, ADJ RETAINER ASSY
ATP1KSH-A308YH	KIT ADD SECOND HEAD, 1/2" 316SS HEAD, 1/2" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, HNBR SEALS, ADJ RETAINER ASSY
ATP1KSH-A308YQ	KIT ADD SECOND HEAD, 1/2" 316SS HEAD, 1/2" CERAMIC PLUNGER, 2 X 316SS CHECK VALVES, FKM SEALS, ADJ RETAINER ASSY




PART #	DESCRIPTION
KIT HEAD REBUILD: ATP1KHR-A### (PUMP ORDER GUIDE DIGIT 9,11-12,14)	
ATP1KHR-A04A	KIT HEAD REBUILD, 1/4", VITON - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A04F	KIT HEAD REBUILD, 1/4", FFKM - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A04H	KIT HEAD REBUILD, 1/4", HNBR - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A04Q	KIT HEAD REBUILD, 1/4", FKM - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A06A	KIT HEAD REBUILD, 3/8", VITON - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A06F	KIT HEAD REBUILD, 3/8", FFKM - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A06H	KIT HEAD REBUILD, 3/8", HNBR - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A06Q	KIT HEAD REBUILD, 3/8", FKM - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A08A	KIT HEAD REBUILD, 1/2", VITON - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A08F	KIT HEAD REBUILD, 1/2", FFKM - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A08H	KIT HEAD REBUILD, 1/2", HNBR - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
ATP1KHR-A08Q	KIT HEAD REBUILD, 1/2", FKM - PLUNGER/WIPER SEAL, 2 X BUSHING, 2 X U-CUP, SUCTION & DISCHARGE CHECK SEALS/SPRING
KIT PLUNGER: KPLRU##S7-001 (PUMP ORDER GUIDE DIGIT 11-12)	
KPLRU04S7-001	KIT PLUNGER, 1/4" 17-4 PLUNGER, RETAINING RING
KPLRU06S7-001	KIT PLUNGER, 3/8" 17-4 PLUNGER, RETAINING RING
KPLRU08S7-001	KIT PLUNGER, 1/2" 17-4 PLUNGER, RETAINING RING
KPLRU04CY-001	KIT PLUNGER, 1/4" SOLID CERAMIC PLUNGER, RETAINING RING
KPLRU06CY-001	KIT PLUNGER, 3/8" SOLID CERAMIC PLUNGER, RETAINING RING
KPLRU08CY-001	KIT PLUNGER, 1/2" SOLID CERAMIC PLUNGER, RETAINING RING
SUCTION CHECK VALVE: CBS04IS6#101 (PUMP ORDER GUIDE DIGIT 14)	
CBS04IS6A101	SUCTION CHECK VALVE, 316SS BODY, VITON SEALS, CERAMIC BALL, 1/4"NPT INLET
CBS04IS6F101	SUCTION CHECK VALVE, 316SS BODY, FFKM SEALS, CERAMIC BALL, 1/4"NPT INLET
CBS04IS6H101	SUCTION CHECK VALVE, 316SS BODY, HNBR SEALS, CERAMIC BALL, 1/4"NPT INLET
CBS04IS6Q101	SUCTION CHECK VALVE, 316SS BODY, FKM SEALS, CERAMIC BALL, 1/4"NPT INLET
KIT SUCTION CHECK VALVE REBUILD: KBS04S6#101 (PUMP ORDER GUIDE DIGIT 14)	
KBS04S6A101	KIT SUCTION CHECK REBUILD, CERAMIC BALL, VITON O-RING, SPRING
KBS04S6F101	KIT SUCTION CHECK REBUILD, CERAMIC BALL, FFKM O-RING, SPRING
KBS04S6H101	KIT SUCTION CHECK REBUILD, CERAMIC BALL, HNBR O-RING, SPRING
KBS04S6Q101	KIT SUCTION CHECK REBUILD, CERAMIC BALL, FKM O-RING, SPRING
DISCHARGE CHECK VALVE: CDF04S6#201 (PUMP ORDER GUIDE DIGIT 14)	
CDF04S6A201	DISCHARGE CHECK VALVE, 316SS BODY, VITON SEALS, POPPET, 1/4"NPT OUTLET
CDF04S6F201	DISCHARGE CHECK VALVE, 316SS BODY, FFKM SEALS, POPPET, 1/4"NPT OUTLET
CDF04S6H201	DISCHARGE CHECK VALVE, 316SS BODY, HNBR SEALS, POPPET, 1/4"NPT OUTLET
CDF04S6Q201	DISCHARGE CHECK VALVE, 316SS BODY, FKM SEALS, POPPET, 1/4"NPT OUTLET



<i>PART #</i>	<i>DESCRIPTION</i>
KIT DISCHARGE CHECK VALVE REBUILD: KFF04S6#201 (PUMP ORDER GUIDE DIGIT 14)	
KFF04S6A201	KIT DISCHARGE CHECK REBUILD, VITON SEALS, SPRING
KFF04S6F201	KIT DISCHARGE CHECK REBUILD, FFKM SEALS, SPRING
KFF04S6H201	KIT DISCHARGE CHECK REBUILD, HNBR SEALS, SPRING
KFF04S6Q201	KIT DISCHARGE CHECK REBUILD, FKM SEALS, SPRING
MOTOR (CORRESPONDS TO PUMP ORDER GUIDE DIGIT 6)	
SOLR0009-307M	OPT C: 12VDC, VARIABLE SPEED, 6-67 RPM, Ta 40C, 0.20HP, 150 LB-IN, C1D2, 30FT #12/2C, UNCLASSIFIED QUICK CONNECTS, IP65, 9 O'CLOCK SHAFT, FOR MANUAL HAND CONTROL
SOLR0009-307A	OPT D: 12VDC, VARIABLE SPEED 6-67 RPM, Ta 40C, 0.20HP, 150 LB-IN, C1D2, 10FT #14/7C, FLYING LEADS, IP65, 9 O'CLOCK SHAFT, FOR AUTOMATED CONTROL
EMACFS115V60H1P0020-01	OPT J: 115VAC/1PH/60HZ, SINGLE SPEED, 60 RPM, Ta 40C, 0.14HP, 150 LB-IN, C1D2, NO CABLE INCLUDED, 9 O'CLOCK SHAFT, FOR MANUAL HAND CONTROL
EMACFS115V60H1P0020-02	OPT K: 115VAC/1PH/60HZ, SINGLE SPEED, 60 RPM, Ta 40C, 0.14HP, 150 LB-IN, C1D2, 30FT #14/3C UNCLASSIFIED NEMA PLUG, 9 O'CLOCK SHAFT, FOR MANUAL HAND CONTROL

Series ATP3 Parts **Order Guide**



PART #	DESCRIPTION
KIT MISCELLANEOUS	
ATP1KBA-A3	KIT BLEED ASSY - BLEED SCREW, SPRING, BALL
ATP1KLA-A3	KIT LEG ASSY - 1 x LEG, 2 X BOLTS, 2 X NUTS
ATPMIT-01	MOTOR INSTALLATION TOOL
KIT HEAD CONVERSION: KATHCK##Y3# (PUMP ORDER GUIDE DIGIT 9-14)	
KATHCK04Y3F	ATP3 HEAD CONVERSION KIT - 1/4 IN - CER PLG - FFKM SEALS - INCLUDES: 316SS GLAND NUT/SLEEVE - CER PLUNGER - NON-ADJUSTABLE SEAL
KATHCK04Y3H	ATP3 HEAD CONVERSION KIT - 1/4 IN - CER PLG - HNBR SEALS - INCLUDES: 316SS GLAND NUT/SLEEVE - CER PLUNGER - NON-ADJUSTABLE SEAL
KATHCK04Y3Q	ATP3 HEAD CONVERSION KIT - 1/4 IN - CER PLG - FKM SEALS - INCLUDES: 316SS GLAND NUT/SLEEVE - CER PLUNGER - NON-ADJUSTABLE SEAL
KATHCK06Y3F	ATP3 HEAD CONVERSION KIT - 3/8 IN - CER PLG - FFKM SEALS - INCLUDES: 316SS GLAND NUT/SLEEVE - CER PLUNGER - NON-ADJUSTABLE SEAL
KATHCK06Y3H	ATP3 HEAD CONVERSION KIT - 3/8 IN - CER PLG - HNBR SEALS - INCLUDES: 316SS GLAND NUT/SLEEVE - CER PLUNGER - NON-ADJUSTABLE SEAL
KATHCK06Y3Q	ATP3 HEAD CONVERSION KIT - 3/8 IN - CER PLG - FKM SEALS - INCLUDES: 316SS GLAND NUT/SLEEVE - CER PLUNGER - NON-ADJUSTABLE SEAL
KATHCK08Y3F	ATP3 HEAD CONVERSION KIT - 1/2 IN - CER PLG - FFKM SEALS - INCLUDES: 316SS GLAND NUT - CER PLUNGER - NON-ADJUSTABLE SEAL
KATHCK08Y3H	ATP3 HEAD CONVERSION KIT - 1/2 IN - CER PLG - HNBR SEALS - INCLUDES: 316SS GLAND NUT - CER PLUNGER - NON-ADJUSTABLE SEAL
KATHCK08Y3Q	ATP3 HEAD CONVERSION KIT - 1/2 IN - CER PLG - FKM SEALS - INCLUDES: 316SS GLAND NUT - CER PLUNGER - NON-ADJUSTABLE SEAL
KIT ADD SECOND HEAD: KATSHK##Y3# (PUMP ORDER GUIDE DIGIT 9-14)	
KATSHK04Y3F	ATP3 ADD SECOND HEAD KIT - 1/4 IN 316SS HEAD - CER PLUNGER - FFKM SEALS - ADJUSTMENT ASSEMBLY
KATSHK04Y3H	ATP3 ADD SECOND HEAD KIT - 1/4 IN 316SS HEAD - CER PLUNGER - HNBR SEALS - ADJUSTMENT ASSEMBLY
KATSHK04Y3Q	ATP3 ADD SECOND HEAD KIT - 1/4 IN 316SS HEAD - CER PLUNGER - FKM SEALS - ADJUSTMENT ASSEMBLY
KATSHK06Y3F	ATP3 ADD SECOND HEAD KIT - 3/8 IN 316SS HEAD - CER PLUNGER - FFKM SEALS - ADJUSTMENT ASSEMBLY
KATSHK06Y3H	ATP3 ADD SECOND HEAD KIT - 3/8 IN 316SS HEAD - CER PLUNGER - HNBR SEALS - ADJUSTMENT ASSEMBLY
KATSHK06Y3Q	ATP3 ADD SECOND HEAD KIT - 3/8 IN 316SS HEAD - CER PLUNGER - FKM SEALS - ADJUSTMENT ASSEMBLY
KATSHK08Y3F	ATP3 ADD SECOND HEAD KIT - 1/2 IN 316SS HEAD - CER PLUNGER - FFKM SEALS - ADJUSTMENT ASSEMBLY
KATSHK08Y3H	ATP3 ADD SECOND HEAD KIT - 1/2 IN 316SS HEAD - CER PLUNGER - HNBR SEALS - ADJUSTMENT ASSEMBLY
KATSHK08Y3Q	ATP3 ADD SECOND HEAD KIT - 1/2 IN 316SS HEAD - CER PLUNGER - FKM SEALS - ADJUSTMENT ASSEMBLY
KIT HEAD REBUILD: KATHRK##N# (PUMP ORDER GUIDE DIGIT 9,11-12,14)	
KATHRK04NF	ATP3 HEAD REBUILD KIT - 1/4 IN - FFKM - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KATHRK04NH	ATP3 HEAD REBUILD KIT - 1/4 IN - HNBR - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KATHRK04NQ	ATP3 HEAD REBUILD KIT - 1/4 IN - FKM - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KATHRK06NF	ATP3 HEAD REBUILD KIT - 3/8 IN - FFKM - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KATHRK06NH	ATP3 HEAD REBUILD KIT - 3/8 IN - HNBR - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KATHRK06NQ	ATP3 HEAD REBUILD KIT - 3/8 IN - FKM - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KATHRK08NF	ATP3 HEAD REBUILD KIT - 1/2 IN - FFKM - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KATHRK08NH	ATP3 HEAD REBUILD KIT - 1/2 IN - HNBR - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KATHRK08NQ	ATP3 HEAD REBUILD KIT - 1/2 IN - FKM - INCLUDES: PLUNGER SEAL KIT, CHECK KITS
KIT PLUNGER: KATPLRU## (PUMP ORDER GUIDE DIGIT 11-13)	
KATPLRCU04	1/4 PLUNGER REPL KIT - CERAMIC
KATPLRCU06	3/8 PLUNGER REPL KIT - CERAMIC
KATPLRCU08	1/2 PLUNGER REPL KIT - CERAMIC
SUCTION AND DISCHARGE CHECK VALVE (PUMP ORDER GUIDE DIGIT 14)	
CFM04S6-B00	CHECK VALVE ASSY - 1/4 MNPT - 1PC FAILSAFE BALL CHECK - CERAMIC BALL - 1 PSIG SPRING - 316SS - 1250
KIT SUCTION AND DISCHARGE CHECK VALVE REBUILD (PUMP ORDER GUIDE DIGIT 14)	
KFM04S6-B00	KIT SUCTION CHECK REBUILD, CERAMIC BALL, VITON O-RING, SPRING

Series ATP3 Parts **Order Guide**



<i>PART #</i>	<i>DESCRIPTION</i>
MOTOR (CORRESPONDS TO PUMP ORDER GUIDE DIGIT 6)	
SOLR0009-307M	OPT C: 12VDC, VARIABLE SPEED, 6-67 RPM, Ta 40C, 0.20HP, 150 LB-IN, C1D2, 30FT #12/2C, UNCLASSIFIED QUICK CONNECTS, IP65, 9 O'CLOCK SHAFT, FOR MANUAL HAND CONTROL
SOLR0009-307A	OPT D: 12VDC, VARIABLE SPEED 6-67 RPM, Ta 40C, 0.20HP, 150 LB-IN, C1D2, 10FT #14/7C, FLYING LEADS, IP65, 9 O'CLOCK SHAFT, FOR AUTOMATED CONTROL
EMACFS115V60H1P0020-01	OPT J: 115VAC/1PH/60HZ, SINGLE SPEED, 60 RPM, Ta 40C, 0.14HP, 150 LB-IN, C1D2, NO CABLE INCLUDED, 9 O'CLOCK SHAFT, FOR MANUAL HAND CONTROL
EMACFS115V60H1P0020-02	OPT K: 115VAC/1PH/60HZ, SINGLE SPEED, 60 RPM, Ta 40C, 0.14HP, 150 LB-IN, C1D2, 30FT #14/3C UNCLASSIFIED NEMA PLUG, 9 O'CLOCK SHAFT, FOR MANUAL HAND CONTROL